

Kevin J. Franklin, M.D.
USAF (Ret.)
Board Certified in Gastroenterology and Hepatology

Jennifer A. Martinez, PA-C
Physician Assistant

Westover Hills
Medical Plaza II
11212 State Hwy 151, Ste 115
San Antonio, TX 78251

Phone (210) 242-0024
Fax (210) 338-8997

PLENVU®

Powder for Oral Solution

PEG 3350, Sodium Ascorbate, Sodium Sulfate, Ascorbic Acid, Sodium Chloride, and Potassium Chloride

140g | 48.1g | 9g | 7.54g | 5.2g | 2.2g

Date of colonoscopy: _____/_____/_____

Location of colonoscopy: 2833 Babcock ste 100

Time of colonoscopy: _____ AM/PM

Nothing to drink after: Midnight

PLENVU® Dose 1:

Date: _____/_____/_____

Day of Week: M T W Th F S Su

Time: 10am

PLENVU® Dose 2:

Date: _____/_____/_____


Day of Week: M T W Th F S Su

Time: 6pm



Note: actual solution is clear.

DOSE 2



FRUIT PUNCH FLAVOR

READY FOR COLONOSCOPY



Stay hydrated!

It's important that you drink clear liquids before, during, and after your prep.

TAKE DOSE 1

1. Use the mixing container to mix the contents of the Dose 1 pouch with at least 16 ounces of water by shaking or using a spoon until it's completely dissolved. This may take up to 2 to 3 minutes. Take your time—slowly finish the dose within 30 minutes.
2. Refill the container with at least 16 ounces of clear liquid. Again, take your time and slowly finish all of it within 30 minutes.

TAKE DOSE 2

1. Use the mixing container to mix the contents of Dose 2 (Pouch A and Pouch B) with at least 16 ounces of water by shaking or using a spoon until it's completely dissolved. This may take up to 2 to 3 minutes. Take your time—slowly finish the dose within 30 minutes.
2. Refill the container with at least 16 ounces of clear liquid. Again, take your time and slowly finish all of it within 30 minutes.

Do not drink anything Red or Purple Day before Your Procedure.